
Ocean Bottom Conductivity Database Development


Marshall Bradley 115 Christian Lane Slidell, LA 70458 504 649 0450 (voice) 504 649 0480 (fax)

marshall.bradley@psislidell.com Contract: N00014-93-C-6003 http://www.psislidell.com

LONG TERM GOALS

The Office of Naval Research has sponsored the development of a performance prediction capability for magnetic minesweeping. The N-Layered Magnetic Model is used to predict the expected performance of U.S. Navy magnetic minesweeping equipment. This model has been accepted by the Oceanographic and Atmospheric Master Library (OAML) as the standard model for computing the magnetic fields generated by U.S. sweeps and other equipment.





One required environmental input to the N-Layered Model is conductivity versus depth in the ocean bottom. This type of oceanographic data is not readily observable. Historically, it has been obtained by conducting ocean bottom resistivity surveys using the MACAS system. MACAS data, however, is not available for many critical areas. The MACAS system is highly accurate, but is expensive to deploy and use and is not suitable for data acquisition in denied-access areas.

OBJECTIVES

We have developed a technique for estimating conductivity versus depth in the ocean bottom using historical oceanographic and ocean bottom geophysical data. The object of our FY98 effort is to refine this technique so that it may be used to populate data bases of electrical reflection coefficient Q and the electrical depth ED in areas for which no MACAS data is available.


maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate mation Operations and Reports	or any other aspect of th , 1215 Jefferson Davis l	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 1998 2. REPORT TYPE				3. DATES COVERED 00-00-1998 to 00-00-1998		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Ocean Bottom Conductivity Database Development				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Psislidell,115 Christian Lane,Slidell,LA,70458				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited						
13. SUPPLEMENTARY NOTES See also ADM002252.						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	RESPUNSIBLE PERSON	


Report Documentation Page

Form Approved OMB No. 0704-0188

APPROACH

By the end of FY 97, we had devised and used algorithms which required inputs such as well log and well core data, as well as geophysical seismic survey data. During 1998, efforts have focused on algorithm improvement and validation, and on adapting algorithms for use in areas where well data is not available. In particular, we are extending our technique so that it can be reliably used in several high priority areas, including the Persian Gulf and waters off Korea, where sub-bottom features strongly impact electrical propagation conditions.







WORK COMPLETED

A database of the Northern end of the Persian Gulf has been completed; current efforts are focused on its extension to the lower limits of that area. We have used a wide range of environmental information for this development effort, including both NAVOCEANO-provided survey data and 'non-traditional' information.

RESULTS

To date, good agreement has been achieved between our results, obtained using our databases, and data measured directly by MACAS. Detailed analysis of sub-bottom geology revealed the presence of aquifers in the Persian Gulf region; the incorporation of these aquifers into our geophysical models was necessary in order to achieve the desired agreement with the MACAS data. A detailed technical briefing is available which discusses this in more detail.





IMPACT/APPLICATIONS

The development of ocean bottom conductivity databases will permit the application of ONR's N-Layered Magnetic Model as a tool in performance assessment and mission planning for Mine Warfare.

TRANSITIONS

This work has been briefed to both the Naval Oceanographic Office and the COMINEWARCOM staff. It is anticipated that, after a scientific procedure has been developed and fully validated, ONR will transition that procedure and preliminary databases and work to the Naval Oceanographic Office, for full-scale (world-wide) database production.

RELATED PROJECTS

ONR Warfare Effectiveness Program (E. Chaika, POC) - this effort developed the N-Layered Magnetic Model.

Naval Oceanographic Office (S. Haegar, POC) - this effort is examining the applicability of ONR algorithms for developing 'world-wide' databases.

REFERENCES

Bradley, M.R. and Watstaff, M.D. Development of Techniques for Populating Ocean Bottom Conductivity Databases. Powerpoint Briefing. June 1997.

Bradley, M.R. MACAS Inversion for the Three-Layered Environment. Mathematica Notebook. June 1998.

Bradley, M.R. Magnetic Minesweeping. Powerpoint Briefing. September 1997, updated May 1998.

Bradley, M.R. Development of the N-Layered Magnetic Model. Powerpoint Briefing. February 1997.